

| Type acc. To DIN 40 737 T3 | Part number | Nominal voltage | Nominal capacity C10 1.8 V/C | Length (l) | Width (b/w) | Height* (h) | Installed length (B/L) | Weight block including acid | Weight acid** | Internal resistance | Short circuit current | Terminal | Pole pairs |
|-------------------------------|-----------------|--------------------|---------------------------------------|---------------|----------------|----------------|------------------------------|--------------------------------|------------------|------------------------|-----------------------------|----------|---------------|
| | | V | 20°C Ah | max. mm | max. mm | max. mm | mm | approx. kg | approx. kg | m Ω | A | | |
| 2 OPzS 100 LA | NVZS020100WC0FA | 2 | 125.0 | 105.00 | 208 | 405 | 115.0 | 13.7 | 5.2 | 1.5 | 1400.0 | F-M8 | 1 |
| 3 OPzS 150 LA | NVZS020150WC0FA | 2 | 165.0 | 105.00 | 208 | 405 | 115.0 | 15.2 | 5.0 | 1.1 | 1950.0 | F-M8 | 1 |
| 4 OPzS 200 LA | NVZS020200WC0FA | 2 | 210.0 | 105.00 | 208 | 405 | 115.0 | 16.6 | 4.6 | 0.8 | 2450.0 | F-M8 | 1 |
| 5 OPzS 250 LA | NVZS020250WC0FA | 2 | 260.0 | 126.00 | 208 | 405 | 136.0 | 20.0 | 5.8 | 0.7 | 2850.0 | F-M8 | 1 |
| 6 OPzS 300 LA | NVZS020300WC0FA | 2 | 310.0 | 147.00 | 208 | 405 | 157.0 | 23.3 | 6.9 | 0.6 | 3250.0 | F-M8 | 1 |
| 5 OPzS 350 LA | NVZS020350WC0FA | 2 | 380.0 | 126.00 | 208 | 520 | 136.0 | 26.7 | 8.1 | 0.6 | 3250.0 | F-M8 | 1 |
| 6 OPzS 420 LA | NVZS020420WC0FA | 2 | 455.0 | 147.00 | 208 | 520 | 157.0 | 31.0 | 9.3 | 0.6 | 3650.0 | F-M8 | 1 |
| 7 OPzS 490 LA | NVZS020490WC0FA | 2 | 530.0 | 168.00 | 208 | 520 | 178.0 | 35.4 | 10.8 | 0.5 | 4100.0 | F-M8 | 1 |
| 6 OPzS 600 LA | NVZS020600WC0FA | 2 | 680.0 | 147.00 | 208 | 695 | 157.0 | 43.9 | 13.0 | 0.5 | 4350.0 | F-M8 | 1 |
| 7 OPzS 700 LA | NVZS020700WC0FA | 2 | 750.0 | 147.00 | 208 | 695 | 157.0 | 47.2 | 12.8 | 0.4 | 4800.0 | F-M8 | 1 |
| 8 OPzS 800 LA | NVZS020800WC0FA | 2 | 910.0 | 215.00 | 193 | 695 | 225.0 | 59.9 | 17.1 | 0.3 | 6800.0 | F-M8 | 2 |
| 9 OPzS 900 LA | NVZS020900WC0FA | 2 | 980.0 | 215.00 | 193 | 695 | 225.0 | 63.4 | 16.8 | 0.3 | 7500.0 | F-M8 | 2 |
| 10 OPzS 1000 LA | NVZS021000WC0FA | 2 | 1140.0 | 215.00 | 235 | 695 | 225.0 | 73.2 | 21.7 | 0.3 | 7900.0 | F-M8 | 2 |
| 12 OPzS 1200 LA | NVZS021200WC0FA | 2 | 1370.0 | 215.00 | 277 | 695 | 225.0 | 86.4 | 26.1 | 0.2 | 8900.0 | F-M8 | 2 |
| 12 OPzS 1500 LA | NVZS021500WC0FA | 2 | 1700.0 | 215.00 | 277 | 845 | 225.0 | 108.0 | 33.7 | 0.2 | 8500.0 | F-M8 | 2 |
| 14 OPzS 1750 LA | NVZS021750WC0FA | 2 | 1800.0 | 215.00 | 277 | 845 | 225.0 | 114.0 | 32.7 | 0.2 | 9300.0 | F-M8 | 2 |
| 16 OPzS 2000 LA | NVZS022000WC0FA | 2 | 2250.0 | 215.00 | 400 | 815 | 225.0 | 151.0 | 50.0 | 0.2 | 12800.0 | F-M8 | 3 |
| 18 OPzS 2250 LA | NVZS022250WC0FA | 2 | 2450.0 | 215.00 | 400 | 815 | 225.0 | 158.0 | 48.0 | 0.1 | 14600.0 | F-M8 | 3 |
| 20 OPzS 2500 LA | NVZS022500WC0FA | 2 | 2800.0 | 215.00 | 490 | 815 | 225.0 | 184.0 | 60.0 | 0.1 | 17000.0 | F-M8 | 4 |
| 22 OPzS 2750 LA | NVZS022750WC0FA | 2 | 3000.0 | 215.00 | 490 | 815 | 225.0 | 191.0 | 58.0 | 0.1 | 17800.0 | F-M8 | 4 |
| 24 OPzS 3000 LA | NVZS023000WC0FA | 2 | 3350.0 | 215.00 | 580 | 815 | 225.0 | 217.0 | 71.0 | 0.1 | 18600.0 | F-M8 | 4 |

*The above mentioned height can differ depending on the used vent(s) **Acid density d = 1.24 kg / l